

MATERIAL SAFETY DATA SHEET



1 CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Trade Name **POLYSTEP B-27** RING -B-GONE

Manufacturer **Stepan Company**
22 West Frontage Road
Northfield, IL 60093 USA

Telephone Numbers - 24 Hour Emergency Assistance

Medical 800-228-5635
Chemtrec 800-424-9300
Chemtrec Int'l 703-527-3887

Telephone Numbers - General Assistance

General (847) 446-7500

Product Class Alcohol ethoxy sulfate

Product Number 0951

2 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name	CAS Number	Percent
Water	7732-18-5	67 - 69 %
Sodium nonylphenol ethoxylate sulfate	9014-90-8	29.5 - 31.5 %
Polyethylene glycol mono(nonyl phenyl) ether	9016-45-9	< 2 %

3 HAZARDS IDENTIFICATION

Emergency Overview

May cause irritation to the eyes, skin, and respiratory system.

Health Effects: Eyes

This product may cause irritation to the eyes.

Health Effects: Skin

Prolonged and/or repeated contact may cause irritation and redness.

Health Effects: Inhalation

Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Health Effects: Ingestion

Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.

4 FIRST AID MEASURES

Eyes

Immediately flush eyes with water for at least 15 minutes while holding eyelids open. If irritation persists get medical attention.

Skin

For skin contact flush with large amounts of water. If irritation persists, get medical attention.

Inhalation

If symptoms are experienced, remove source of contamination or move victim to fresh air. If symptoms persist, get medical attention. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5 FIRE FIGHTING MEASURES

Flash Point (> 93.9 °C), > 201 F

OSHA Flammability Classification Combustible III B

Extinguishing Media

Use appropriate methods for combatting the surrounding fire.

Fire Fighting Equipment / Instructions

Firefighters should wear full fire-fighting turn-out gear (full Bunker gear) including NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6 ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK PROCEDURES

Emergency Action:

Isolate spill or leak area immediately. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

Do not touch or walk through spilled material. Wear appropriate personal protective equipment during cleanup. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Large Spills: Dike ahead of liquid spill for later disposal. Prevent entry into waterways, sewers, basements or confined areas.

Surfaces may become slippery after spillage.

7 HANDLING & STORAGE

Handling Procedures

Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Storage Procedures

Avoid freezing or excessive heat. Store in a dry, well-ventilated area.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

Use general ventilation. Use local exhaust ventilation.

Personal Protective Equipment: Eyes/Face

Wear chemical goggles; face shield (if splashing is possible).

Personal Protective Equipment: Skin

Wear suitable protective clothing. Use impervious gloves.

Personal Protective Equipment: Respiratory

If vapors are present or irritation is experienced, NIOSH approved respiratory protection for organic vapors should be worn.

Personal Protective Equipment: General

Eye wash fountain and emergency showers are recommended.

9 PHYSICAL & CHEMICAL PROPERTIES

Flash Point	(> 93.9 °C), > 201 F
Specific Gravity	(8.8 lb/gal), 1.0577 g/ml (@ 25 C)
Percent Volatile	67 - 69 % (w/w)
Vapor Pressure	Not Determined or Unknown
Vapor Density	Estimated lighter than air.
Evaporation Rate	Estimated slower than ethyl ether.
pH Value	7 - 9 (10% in H ₂ O)
Freezing Point	(-6.1 °C), 21 F

10 STABILITY & REACTIVITY

Chemical Stability

Stable under normal conditions.

Incompatibility

This product may react with strong acids or oxidizing agents.

Hazardous Decomposition

Upon decomposition, this product may yield sulfur dioxide and oxides of sulfur.

Hazardous Polymerization

Will not occur.

11 TOXICOLOGICAL INFORMATION

Carcinogenicity

Not available.

Sodium nonylphenol ethoxylate sulfate 9014-90-8

NIOSH - Selected LD50s and LC50s

Oral LD50 Rat: 10 g/kg

_Polyethylene glycol mono(nonyl 9016-45-9 phenyl) ether

NIOSH - Selected LD50s and LC50s

Oral LD50 Rat: 1310 mg/kg; Oral LD50 Mouse: >50 g/kg;
Dermal LD50 Rabbit: 2 mL/kg

12 ECOLOGICAL INFORMATION

Ecotoxicity

No data available on finished product.

13 DISPOSAL CONSIDERATIONS

Disposal Instructions

Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial and Local regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator.

14 TRANSPORT INFORMATION

DOT Proper Shipping Name Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

15 REGULATORY INFORMATION

U.S. Federal Regulations

_Polyethylene glycol mono(nonyl 9016-45-9 phenyl) ether

TSCA (Toxic Substances Control Act) - Section 8(a) - PAIR - Reporting List Effective 2/10/00; Reporting 4/10/00

Ingredient Name	CAS Number	Percent
Water	7732-18-5	67 - 69 %
Sodium nonylphenol ethoxylate sulfate	9014-90-8	29.5 - 31.5 %
Polyethylene glycol mono(nonyl phenyl) ether	9016-45-9	< 2 %
_Formaldehyde	50-00-0	
California - Proposition 65 - Carcinogens List	carcinogen, initial date 1/1/88 (gas)	
California - Proposition 65 - No Significant Risk Levels (NSRL)	40 µg/day NSRL	
_1,4-Dioxane	123-91-1	
California - Proposition 65 - Carcinogens List	carcinogen, initial date 1/1/88	
California - Proposition 65 - No Significant Risk Levels (NSRL)	30 µg/day NSRL	

Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL), Europe (EINECS/ELINCS/Polymer/NLP), Japan (ENCS), Australia (AICS), Korea (ECL), Philippines (PICCS)

There is no calculable reportable quantity (RQ) for this product.

16 OTHER INFORMATION

Disclaimer

Disclaimer: Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be held liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.

HAZARD RATINGS	HMIS NFPA	
Health	1	1
Flammability	1	1
Reactivity	0	0
PPE	X	

Completed On	06/27/2005	Replaces Sheet Dated	01/15/2004
Completed By	Product Safety & Compliance		